ONE OF BOWIE'S MOST POPULAR MACHINES.



BOWIE HYDRO-MULCHER® · GOOSENECK

VICTOR 800

CLASSIC

958 gallons, the same steel tank, shredder box and dual agitators as the diesel Victors, on a Kohler EFI gas engine any small-engine shop can service. This one is Black with grey deck, 2" Bowie gear pump, with a 200' electric hose reel. Built in Bowie, Texas. Sold and supported by ETR Equipment.

Shown in Bowie Green. This unit is Black with grey deck.

958 GAL	38 HP	8,710 SQ FT	2"
TANK CAPACITY	KOHLER EFI GAS	PER TANK, WOOD FIBER AT 2,000 LB/ACRE	BOWIE GEAR PUMP


WHAT YOU'RE LOOKING AT.

The photographs on this page show a Bowie Victor 800 Classic in Bowie Green, built as this unit is built. This unit is Black with grey deck. This machine is in production at Bowie and has not been photographed. No renders, no stock art.




WALK-ON DECK

Full-width diamond-plate deck with a lockable storage box and room to move.




HOSE REEL AND DECK LAYOUT

Powered reel, guide bars and the foam-wrapped suction loop, all reachable from the deck.



BOTH HANDLES DOWN TO FLUSH

The two flush handles and Bowie's own decal. Up for work, down to flush, straight back up after.



OPERATOR'S STATION

Pump and agitator switches on one box, with the discharge tower and swivel alongside.



THE FINISH

Two-part epoxy primer under a urethane topcoat, sprayed in Bowie's own booth.

THIS UNIT · **AS IT IS BUILT**



GOOSENECK

Tandem axle, DOT LED lighting, gooseneck coupler. Extra deck ahead of the tank for product.


GOOSENECK COUPLER



TOWER GUN, WORKING

Firing from the upper platform out across the site, with no hose pulled off the reel.

FROM THE DECK



EVEN FIBER COVERAGE

Wood, blend or BFM, laid down without bare soil showing through.

WOOD · BLEND · BFM

ETR Equipment LLC · 716 Caughman Point, Leesville, SC 29070 · (912) 288-9231

ASK ABOUT THIS UNIT



YOU BUY THE MACHINE. YOU GET THE COMPANY.

Bowie builds it. ETR Equipment stands behind it: startup, training, parts, and a phone that gets answered after the check clears. Our reps sell hydro-seeding for a living; we'll help you win the work, not just spec the iron.

STARTUP WITH YOUR PURCHASE

Loading, mixing, spraying, and cleanout on day one, at your site, not a demo lot.

MULCH, TAUGHT

Wood, blends, BFM and FGM™: what to load, how many bags per tank, and how to keep it spraying smooth.

AUTHENTIC BOWIE PARTS

Nozzles, gears, hose, and couplers ordered straight from the Bowie factory and shipped to you, so a worn part never parks you.

WE ANSWER THE PHONE

Pump won't prime? Mix won't spray? Call, and we walk you through it mid-job.

WHY BOWIE.

One factory on the same street in Bowie, Texas since day one. Steel cut, welded and plumbed in-house. Heavy tanks, mechanical paddle agitation, and machines that outlive their loans. Factory warranty on every unit.

1953

Started as a pump and machine shop in Bowie, Texas. Still there, still building.

1962

Hydro-Mulcher® registered as Bowie's trademark. The name the industry uses is theirs.

USA BUILT




Designed, welded and assembled in Bowie, Texas. Every tank leaves the factory wearing this flag.



STEEL CUT IN HOUSE



WELDED IN HOUSE



PUMPS MACHINED IN HOUSE



CASTINGS MACHINED IN HOUSE

Photographed on the floor at Bowie Industries, Bowie, Texas. These show how Bowie builds, not parts from this machine.

SPECIFICATIONS.

	VICTOR 800 CLASSIC · GOOSENECK
Running gear	Tandem axle, DOT LED lighting
Hitch	Gooseneck coupler
Engine	Kohler 38 hp EFI, air-cooled gas
Liquid capacity	958 US gal (3,626 L)
Pump	2" Bowie gear pump
Agitation	Mechanical paddle agitation
Coverage	8,710 sq ft per tank, virgin wood fiber at 2,000 lb/acre
Paint	Black with grey deck

Bowie's Victor 800 Classic sheet publishes dimensions and empty weight for the trailer and skid only. Gooseneck figures on request.



THIS UNIT

MODEL **2026 Bowie Victor 800 Classic GN**

STATUS **In production at Bowie**

Black with grey deck, built as listed above.

EQUIPPED ON THIS UNIT.

- Clear-water flush system
- 200' electric hose reel with 200' of 1-1/2" hose
- Steel drive gear with rubber idler, 2" pump
- Shredder box and dual mixing shafts
- Enclosed top deck with tower gun
- Four nozzles and quick couplers
- Black paint, special color
- Two-tone, grey deck

WITH EVERY ETR MACHINE: Manuals · Bowie factory warranty · ETR startup & mixing guidance.




BACKYARDS, BANK CUTS, BALLFIELDS.

The 800 is the size that does the everyday work: subdivisions, retention ponds, roadside, athletic fields. Gun from the deck, hose to the rest.



HAND HOSE ON A CUT SLOPE

Where the tower cannot reach, the hose finishes the job.



THE FINISH

Two-part epoxy primer under a urethane topcoat, sprayed in Bowie's own booth.

The photographs on this page show a Bowie Victor 800 Classic in Bowie Green, built as this unit is built. This unit is Black with grey deck. This machine is in production at Bowie and has not been photographed. Specifications from Bowie Victor 800 Classic sheet, subject to change without notice. Coverage is 8,710 sq ft per tank, virgin wood fiber at 2,000 lb/acre, calculated from ETR's loading chart at 50 lb of wood fiber per 100 gallons; a different application rate gives a different figure. Hydro-Mulcher® is a registered trademark of Bowie Industries, Inc. FGM™ is a trademark of PROFILE Products LLC.

ADDITIONAL OPTIONS ON THIS MACHINE.

CLEAR-WATER FLUSH SYSTEM

An integrated auxiliary clean-water tank for flushing the pump and plumbing between tanks and at the end of the day. Functions with 2 deck mounted valve handles that work in unison, closing the main slurry tank and opening the flush tank. Flushes the pump, deck gun, and hose at the job site, the handles return up as soon as flushing is done.

ELECTRIC HOSE REEL WITH 200 FT HOSE

A powered reel supplied with its hose already on the drum and coupled. Suits crews on highway shoulders and detention ponds, where the machine stays parked. Bowie derates loading rate 5 percent for every 50 feet of hose.

STEEL DRIVE GEAR, 2 INCH PUMP

A steel drive gear, with the idler left in standard Buna-N elastomer. The drive gear carries the full input torque, so it wears first. It is not the complete abrasion fix, since fertilizer and grit wear both gears.

ALSO FITTED Special paint color · Two-tone paint

WITH EVERY ETR MACHINE: Manuals · Bowie factory warranty · ETR startup & mixing guidance. Options are as ordered for this unit and are fitted at the Bowie factory before delivery. Machines shown in photographs may include other optional equipment.